



SEQUENCE LISTING

<110> The University of Melbourne
<120> Small Cyclic Mimics of Brain-Derived Neurotrophic Factor (BDNF)
<130> FP12888
<140> PCT/AU00/00641
<141> 2000-06-08
<150> AU PQ0848
<151> 1999-06-08
<160> 39
<170> PatentIn version 3.1
<210> 1
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 1

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 2
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLTATION

<220>
<221> MOD_RES
<222> (14)..(14)
<223> AMIDATION

<400> 2

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 3

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<400> 3

Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln
1 5 10

<210> 4

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(12)

<223>

<400> 4

Cys Lys Val Pro Val Ser Lys Gly Gln Leu Lys Cys
1 5 10

<210> 5

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<400> 5

Cys Val Pro Val Ser Lys Gly Gln Leu Cys
1 5 10

<210> 6

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(8)

<223>

<400> 6

Cys Pro Val Ser Lys Gly Gln Cys
1 5

<210> 7

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 7

Cys Ala Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 8

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 8

Cys Glu Ala Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 9
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 9

Cys Glu Lys Ala Pro Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 10
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 10

Cys Glu Lys Val Ala Val Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 11
<211> 14

<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1) .. (14)
<223>

<400> 11

Cys Glu Lys Val Pro Ala Ser Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 12
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1) .. (14)
<223>

<400> 12

Cys Glu Lys Val Pro Val Ala Lys Gly Gln Leu Lys Gln Cys
1 5 10

<210> 13
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1) .. (14)
<223>

<400> 13

Cys Glu Lys Val Pro Val Ser Ala Gly Gln Leu Lys Gln Cys
1 5 10

<210> 14
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 14

Cys Glu Lys Val Pro Val Ser Lys Ala Gln Leu Lys Gln Cys
1 5 10

<210> 15
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(14)
<223>

<400> 15

Cys Glu Lys Val Pro Val Ser Lys Gly Ala Leu Lys Gln Cys
1 5 10

<210> 16
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID

<222> (1)..(14)

<223>

<400> 16

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Ala Lys Gln Cys
1 5 10

<210> 17

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 17

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Ala Gln Cys

1 5 10

<210> 18

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 18

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Ala Cys

1 5 10

<210> 19

<211> 10

<212> PRT

<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(10)
<223>

<220>
<221> DISULFID
<222> (3)..(3)
<223> to residue 3 of SEQ ID NO:20

<400> 19

Cys Val Cys Val Ser Lys Gly Gln Leu Cys
1 5 10

<210> 20
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(10)
<223>

<220>
<221> DISULFID
<222> (3)..(3)
<223> to residue 3 of SEQ ID NO:19

<400> 20

Cys Val Cys Val Ser Lys Gly Gln Leu Cys
1 5 10

<210> 21
<211> 10
<212> PRT
<213> Artificial Sequence
<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (4)..(4)

<223> to residue 4 of SEQ ID NO:22

<400> 21

Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
1 5 10

<210> 22

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (4)..(4)

<223> to residue 4 of SEQ ID NO:21

<400> 22

Cys Val Pro Cys Ser Lys Gly Gln Leu Cys
1 5 10

<210> 23

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(10)
<223>

<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO:24

<400> 23

Cys Val Pro Val Cys Lys Gly Gln Leu Cys
1 5 10

<210> 24
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(10)
<223>

<220>
<221> DISULFID
<222> (5)..(5)
<223> to residue 5 of SEQ ID NO: 23

<400> 24

Cys Val Pro Val Cys Lys Gly Gln Leu Cys
1 5 10

<210> 25
<211> 10
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> DISULFID
<222> (1)..(10)

<223>

<220>

<221> MOD_RES

<222> (3)..(3)

<223> derivitised with acetamidomethyl

<400> 25

Cys	Val	Cys	Val	Ser	Lys	Gly	Gln	Leu	Cys
1				5				10	

<210> 26

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> MOD_RES

<222> (4)..(4)

<223> derivitised with acetamidomethyl

<400> 26

Cys	Val	Pro	Cys	Ser	Lys	Gly	Gln	Leu	Cys
1				5				10	

<210> 27

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>
<221> MOD_RES
<222> (5)..(5)
<223> derivitised with acetamidomethyl

<400> 27

Cys Val Pro Val Cys Lys Gly Gln Leu Cys
1 5 10

<210> 28
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> MOD_RES
<222> (1)..(1)
<223> ACETYLATION

<220>
<221> MOD_RES
<222> (11)..(11)
<223> AMIDATION

<220>
<221> DISULFID
<222> (1)..(10)
<223>

<220>
<221> MOD_RES
<222> (11)..(11)
<223> amide link to residue 11 of SEQ ID NO: 29

<400> 28

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu
1 5 10

<210> 29
<211> 11
<212> PRT
<213> Artificial Sequence
<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> MOD_RES

<222> (11)..(11)

<223> AMIDATION

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> MOD_RES

<222> (11)..(11)

<223> amide linkage to residue 11 of SEQ ID NO: 28

<400> 29

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys
1 5 10

<210> 30

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLTATION

<220>

<221> MOD_RES

<222> (11)..(11)

<223> AMIDATION

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (5)..(5)

<223> to residue 5 of SEQ ID NO: 31

<220>

<221> MOD_RES

<222> (11)..(11)

<223> amide linkage to residue 11 of SEQ ID NO: 31

<400> 30

Cys Val Pro Val Cys Lys Gly Gln Leu Cys Glu
1 5 10

<210> 31

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> MOD_RES

<222> (11)..(11)

<223> AMIDATION

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (5)..(5)

<223> to residue 5 of SEQ ID NO: 30

<220>

<221> MOD_RES

<222> (11)..(11)

<223> amide linkage to residue 11 of SEQ ID NO: 30

<400> 31

Cys Val Pro Val Cys Lys Gly Gln Leu Cys Lys
1 5 10

<210> 32

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD_RES

<222> (1)..(1)

<223> amide linkage to residue 5

<220>

<221> MOD_RES

<222> (5)..(5)

<223> amide linkage to residue 1

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is D-Pro

<400> 32

Xaa Ala Lys Lys Arg
1 5

<210> 33

<211> 4

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is 6-amino hexanoyl

<220>
<221> MOD_RES
<222> (1)..(1)
<223> amide linkage to residue 4

<220>
<221> MOD_RES
<222> (4)..(4)
<223> amide linkage to residue 1

<400> 33

Xaa Lys Lys Arg
1

<210> 34
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is D-Pro

<400> 34

Xaa Ala Lys Lys Arg
1 5

<210> 35
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa is 6-amino hexanoyl

<400> 35

Xaa Lys Lys Arg

1

<210> 36
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa is D-Pro

<220>
<221> MOD_RES
<222> (1)..(1)
<223> amide linkage to residue 5

<220>
<221> MOD_RES
<222> (5)..(5)
<223> amide linkage to residue 1

<400> 36

Ala Xaa Lys Lys Arg
1 5

<210> 37
<211> 5
<212> PRT
<213> Artificial Sequence
<220>
<223> Sequence derived from amino acid sequence for BDNF

<220>
<221> MOD_RES
<222> (1)..(1)
<223> amide linkage to residue 5

<220>
<221> MOD_RES
<222> (5)..(5)
<223> amide linkage to residue 1

<400> 37

Ala Pro Lys Lys Arg
1 5

<210> 38

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is D-Pro

<220>

<221> MOD_RES

<222> (1)..(1)

<223> amide linkage to residue 5

<220>

<221> MOD_RES

<222> (5)..(5)

<223> amide linkage to residue 1

<400> 38

Xaa Ala Ala Lys Arg
1 5

<210> 39

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is D-Pro

<220>

<221> MOD_RES

<222> (1)..(1)

<223> amide linkage to residue 5

<220>

<221> MOD_RES

<222> (5)..(5)

<223> . amide linkage to residue 1

<400> 39

Xaa Ala Lys Ala Arg

1 5